L Number		Search Text	DB	Time stamp
-	1490	(717/140-162).CCLS.	USPAT;	2002/12/30 13:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	9	((tagged or mark\$3)near3 (byte adj code))	USPAT;	2002/12/30 14:05
	_	and compil\$4	US-PGPUB;	2002/12/30 14.03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	353	(tag\$4 or mark\$4) near3 ((byte adj code)	USPAT;	2002/12/30 13:55
		or (intermediate adj code) or IR or	US-PGPUB;	
		(intermediate represensation)) and	EPO; JPO;	
		instrument\$4	DERWENT;	
	204		IBM_TDB	
-	304	(1 (USPAT;	2002/12/30 13:59
		validat\$4)) and instrument\$5	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	11358	optimi\$5 same ((JIT or just-in-time) or	IBM_TDB USPAT;	2002/12/30 14:02
	11330	(pre adj (compil\$4 or load\$4)) or	US-PGPUB;	2002/12/30 14:02
		interpret\$4 or link\$4 or compil\$4)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
- 1	46	(optimi\$5 same ((JIT or just-in-time) or	USPAT;	2002/12/30 14:05
		(pre adj (compil\$4 or load\$4)) or	US-PGPUB;	1
1		interpret\$4 or link\$4 or compil\$4)) and	EPO; JPO;	
		((persisten\$4 near4 (storage or check\$4 or	DERWENT;	
1		validat\$4)) and instrument\$5)	IBM_TDB	
-	17	The second of	USPĀT;	2002/12/30 14:27
Į		(pre adj (compil\$4 or load\$4)) or	US-PGPUB;	
		interpret\$4 or link\$4 or compil\$4)) and	EPO; JPO;	
		((persisten\$4 near4 (storage or check\$4 or	DERWENT;	
		validat\$4)) and instrument\$5)) and	IBM_TDB	
_	7	(@ad<=19990405 or @rlfd<=19990405)	HODAE	2000/10/20 11 ==
	1	("5551015" "5574873" "5742794" "5758140" "5768593" "5802373"	USPAT	2002/12/30 14:31
!		"5842017").PN.		
_	205	(identify\$4 or detect\$4) near4 ((hot or	USPAT;	2002/12/31 08:30
	200	critical or (most adj2 frequently) or	US-PGPUB;	2302/12/31 00.30
		marked or tagged) adj3 (section\$1 or	EPO; JPO;	
		sequence\$1 or block\$1))	DERWENT;	
			IBM_TDB	
-	36352	(dynamic\$5 or increment\$4 or (just adj4	USPĀT;	2002/12/30 15:00
		time) or (run adj time) or (pre adj (US-PGPUB;	
		execution or load or link))) near3 (EPO; JPO;	1
		compil\$5 or load\$4 or translat\$4 or	DERWENT;	
	_	interpret\$4)	IBM_TDB	0000/10/55 55
-	9	((pre adj2 load) or (load adj2 time))	USPAT;	2002/12/30 15:10
		near3 ((pre adj compil\$5) or compil\$6)	US-PGPUB;	N 12
		and (byte adj code)	EPO; JPO;	
			DERWENT;	
_	o l	((critical or hot or tagged) adj3	IBM_TDB USPAT;	2002/12/30 15:16
	١	(section\$1 or block\$1 or chunk\$1 or	USPAT; US-PGPUB;	2002/12/30 15:16
		portion\$1)) near3 ((pre adj compil\$5) or	EPO; JPO;	
	ļ	compil\$6 or instrument\$5) and (byte adj	DERWENT;	
		code)	IBM TDB	
_	1591	((critical or hot or tagged) adj3	USPAT;	2002/12/31 08:28
		(section\$1 or block\$1 or chunk\$1 or	US-PGPUB;	, -5, 51 00.20
		portion\$1)) and (compil\$6 or instrument\$5)	EPO; JPO;	
			DERWENT;	*
İ			IBM TDB	
-	2037	(distributed adj4 (object\$1 or program\$1	USPAT;	2002/12/31 09:03
		or code)) same execut\$5	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	ı İ

-	588	(USPAT;	2002/12/30	15:31
Ì		select\$4) near4 ((hot or critical or (most	US-PGPUB;		
	1	adj2 frequently) or marked or tagged) adj3	EPO; JPO;		
		(section\$1 or sequence\$1 or block\$1))	DERWENT;		
			IBM TDB		
-	9137		USPAT;	2002/12/30	15:36
		compil\$4) or (persisten\$5 stor\$6)) same	US-PGPUB;		
		((distributed or download\$4 or transmi\$6)	EPO; JPO;		
		near4 object\$1)	DERWENT;		
			IBM TDB		
-	2129		USPAT;	2002/12/31	08:22
		adj3 (section\$1 or block\$1 or chunk\$1 or	US-PGPUB;		
		portion\$1)) and (compil\$6 or instrument\$5)	EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	1593	((critical or hot or tagged) adj3	USPAT;	2002/12/31	08:28
1		(section\$1 or block\$1 or chunk\$1 or	US-PGPUB;		
		portion\$1)) and (compil\$6 or instrument\$5)	EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	205	(identify\$4 or detect\$4) near4 ((hot or	USPAT;	2002/12/31	08:30
		critical or (most adj2 frequently) or	US-PGPUB;	,,	55.50
		marked or tagged) adj3 (section\$1 or	EPO; JPO;		
1		sequence\$1 or block\$1))	DERWENT;		
		1	IBM TDB		
1 -	356	(instrument\$5 near3 ((byte adj code) or IR	USPAT;	2002/12/31	09.02
		or (intermediate adj2 representation)))	US-PGPUB;	2002/12/31	05.02
		and (mark\$4 or tag\$4 or index\$4 or	EPO; JPO;		
		table\$2 or (hot adj3 (section\$ or block\$1	DERWENT;		
		or portion(1)))	IBM TDB		
_	2049		USPAT;	2002/12/31	00.50
	2013	or code)) same execut\$5	l ·	2002/12/31	09:58
		Of code), same executys	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
_	3387	compil\$4 near7 (first or later or	IBM_TDB	0000/10/01	
	3307	subsequent or priorit\$5 or progressiv\$4 or	USPAT;	2002/12/31	09:06
			US-PGPUB;		
		increment\$4 or (load adj time))	EPO; JPO;		
			DERWENT;		
_	94	((trace adj hook\$1) or mark\$4 or	IBM_TDB	2002/12/21	
	74	instrument\$3 or tag\$4) near3 ((byte or	USPAT;	2002/12/31 (09:08
		intermediate) adj2 code\$1)	US-PGPUB;		
		intermediate / adjz codeşi)	EPO; JPO;		
			DERWENT;		
1_	80	((increment\$5 or coloctica) adiailas	IBM_TDB	2000/20/20	00 55
	00	((= = = = = = = = , a a)	USPĀT;	2002/12/31 (u9:56
		and ((intermediate or byte) adj code)	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		1
I _	17	5040274 (ID DN)	IBM_TDB	0000 (55 (55	
1_	17		USPAT	2002/12/31 1	
	1 6	"5276881".PN.	USPAT	2002/12/31 1	
-	6	((intermediate or byte or IR) adj2 code)	USPAT;	2002/12/31 1	13:08
1		near6 ((partial\$3 or selectiv\$4) near3	US-PGPUB;		į
		compil\$4)	EPO; JPO;		
1			DERWENT;		
	_	C0 C0 404 MP DV	IBM_TDB		
-	3	6263491.URPN.	USPAT	2002/12/31 1	
_	80	((incremental\$4 or progressiv\$4 or	USPAT;	2003/05/09 1	11:22
		subsequent or successiv\$3) near3	US-PGPUB;		
	[compil\$4).ab.	EPO; JPO;		1
			DERWENT;		
	}		IBM_TDB		
-	42	(object-oriented near4 (framework or	USPĀT;	2003/05/09 1	13:24
		development)) and (byte adj code or	US-PGPUB;		
]	byte-code\$1 or (intermediate adj2 code) or	EPO; JPO;		
		IR) and (message near4 (pass\$4 or	DERWENT;		1
		transmi\$5))	IBM TDB		•

-	10	(load\$4 or download\$4 or install\$4 or JIT)	USPAT;	2003/05/09 12:19
	ļ	near3 ((byte adj code\$1) or (intermediate	US-PGPUB;	
		adj code) or bytecode\$1) same (appliance\$1	EPO; JPO;	
		or DSP\$1 or ((remote or small) adj device\$1) or microprocessor\$1)	DERWENT; IBM TDB	
-	8		USPAT;	2003/05/09 12:27
	"	JIT) near3 ((byte adj code\$1) or	US-PGPUB;	2003/05/09 12:27
	}	(intermediate adj code) or bytecode\$1)	EPO; JPO;	
		same (appliance\$1 or DSP\$1 or ((remote or	DERWENT;	
		small) adj device\$1) or microprocessor\$1))	IBM TDB	
		and (@ad<=19990405 or @rlad<=19990405)	_	
-	18	1 (= = = = = = = = = = = = = = = = = =	USPAT;	2003/05/09 11:53
1		((target or remote or small) adj2 (US-PGPUB;	i
		microprocessor\$1 or device\$1 or	EPO; JPO;	
		appliance\$1 or DSP))	DERWENT;	
_	101	///lood manual time) and immediate	IBM_TDB	
-	101	(((load near4 time) or immediate or	USPAT;	2003/05/09 13:28
		dynamic\$4) near3 compil\$5) and ((tag\$4 or mark\$4) near3 (portion\$1 or section\$1 or	US-PGPUB;	
		code))	EPO; JPO;	
		6006//	DERWENT; IBM TDB	
_	23	(load\$4 or download\$4 or install\$4 or JIT)	USPAT;	2003/05/09 12:21
		near3 ((byte adj code\$1) or (intermediate	US-PGPUB;	2003/03/03 12:21
		adj code) or bytecode\$1) and (dynamic	EPO; JPO;	
		near5 compil\$5)	DERWENT;	
			IBM TDB	
1 -	346	((thin or restraint\$3 or small or	USPAT;	2003/05/09 12:27
		embedded) near2 (platform\$1 or	US-PGPUB;	
		appliance\$1 or device\$1 or	EPO; JPO;	
Ì		microprocessor\$1 or microcontroll\$3 or	DERWENT;	
		DSP\$1)) and ((download\$4 or distribut\$5	IBM_TDB	
		or load\$4)) same ((code or component\$1 or		
		representation or class\$2 or application\$1) near2 (intermediate or byte		
		or Java))	1	
_	145	(((thin or restraint\$3 or small or	USPAT;	2003/05/09 12:36
		embedded) near2 (platform\$1 or	US-PGPUB;	2003/03/03 12:30
		appliance\$1 or device\$1 or	EPO; JPO;	
		microprocessor\$1 or microcontrol1\$3 or	DERWENT;	
		DSP\$1)) and ((download\$4 or distribut\$5	IBM TDB	
		or load\$4)) same ((code or component\$1 or	_	
		representation or class\$2 or		
		application\$1) near2 (intermediate or byte		
		or Java))) and (@ad<=19990405 or		
_	2	<pre>@rlad<=19990405) ((((thin or restraint\$3 or small or</pre>	HCDAM -	2002/05/00 10 22
	3	embedded) near2 (platform\$1 or	USPAT;	2003/05/09 12:32
		appliance\$1 or device\$1 or	US-PGPUB; EPO; JPO;	
		microprocessor\$1 or microcontroll\$3 or	DERWENT;	
1		DSP\$1)) and ((download\$4 or distribut\$5	IBM TDB	
1		or load\$4)) same ((code or component\$1 or		
		representation or class\$2 or		
1		application\$1) near2 (intermediate or byte		
		or Java))) and (@ad<=19990405 or		
		@rlad<=19990405)) and ((((load near4		
		time) or immediate or dynamic\$4) near3		
		compil\$5) and ((tag\$4 or mark\$4) near3		
_	9	<pre>(portion\$1 or section\$1 or code))) ("5113518" "5127103" "5473777" </pre>	LICDAM.	2002/05/02 12 21
	"	"5706502" "5748960" "5757021"	USPAT	2003/05/09 12:31
	["5784594" "5828897" "6044469").PN.		
_	13	5987256.URPN.	USPAT	2003/05/09 13:55
-	1	((byte or intermediate) near2 code) and	USPAT;	2003/05/09 14:22
		((tag\$4 or mark\$4) near3 ((portion\$1 or	US-PGPUB;	
		section\$1 or code) same (hot or	EPO; JPO;	
		critical)))	DERWENT;	
		5000056 2200	IBM_TDB	
L <u>-</u>	13	5987256.URPN.	USPAT	2003/05/09 14:10

-	39	(hot or critical) adj2 (section\$1 or path	USPAT;	2003/05/09 14:18
		or portion\$1 or code) and ((tag\$4 or	US-PGPUB;	
		mark\$4) near3 (portion\$1 or section\$1 or	EPO; JPO;	
		code or path\$1)) and ((intermediate or	DERWENT;	
		byte) adj code\$1)	IBM_TDB	
_	38	, i = = = = = = = = = , and	USPAT;	2003/05/09 14:22
		((hot or critical) adj2 (section\$1 or	US-PGPUB;	
		path or portion\$1 or code) and ((tag\$4 or	EPO; JPO;	
		mark\$4) near3 (portion\$1 or section\$1 or	DERWENT;	
		code or path\$1)) and ((intermediate or	IBM_TDB	
		byte) adj code\$1))		
-	20	, , , , , , , , , , , , , , , , , , ,	USPAT;	2003/05/09 15:04
		(thin near2 (appliance\$1 or platform\$1 or	US-PGPUB;	
	ł	device\$1))) and ((byte adj code) same ((EPO; JPO;	
		load\$4 or download\$4 or tag\$4) and	DERWENT;	
		compil\$5))	IBM_TDB	
-	14	(thin adj2 (client or platform\$1 or	USPAT;	2003/05/09 14:37
		device\$1)) and ((byte adj code\$1) near5 (US-PGPUB;	
		download\$4 or load\$4 or transmi\$6 or	EPO; JPO;	
		distribut\$4 or tag\$4))	DERWENT;	
	_		IBM_TDB	
-	8	((thin adj2 (client or platform\$1 or	USPAT;	2003/05/09 14:31
		device\$1)) and ((byte adj code\$1) near5 (US-PGPUB;	
	İ	download\$4 or load\$4 or transmi\$6 or	EPO; JPO;	
		distribut\$4 or tag\$4))) and (@ad<=19990405	DERWENT;	
		or @rlad<=19990405)	IBM_TDB	
-	6	((US-5768593-\$ or US-5586330-\$ or	USPAT;	2003/05/09 15:00
		US-6429860-\$ or US-6327702-\$ or	US-PGPUB;	
		US-6324685-\$ or US-6295645-\$ or	EPO; JPO;	
		US-6189141-\$ or US-6164841-\$ or	DERWENT;	
]	US-6029000-\$ or US-6044220-\$ or	IBM_TDB	
	1 1	US-6308320-\$ or US-6186677-\$ or		
		US-6112025-\$ or US-5898872-\$ or		
		US-5815720-\$ or US-5625822-\$ or		
]	US-5230050-\$ or US-5265254-\$ or		
		US-5201050-\$ or US-5182806-\$ or		
		US-6330556-\$ or US-6209018-\$ or		
		US-6119115-\$ or US-6256637-\$ or		
		US-6161219-\$ or US-5848274-\$).did. or		
		(US-5586328-\$ or US-5491821-\$ or		
		US-4656582-\$ or US-6263344-\$ or		
		US-6151703-\$ or US-5987256-\$ or		
		US-6219787-\$ or US-6499137-\$ or		
		US-5586020-\$ or US-6324688-\$ or		
		US-6338068-\$).did. or (US-20020073405-\$ or		
		US-20020099634-\$).did. or		
		(US-20010042172-\$ or US-6295641-\$).did.)		
		and ((byte or intermediate) near code\$1)		
		and (precompil\$4 or JIT or (dynamic same		
		compil\$5)) and ((small or restraint or		
		micro or thin or embedded) near3 (
		device\$1 or microprocess\$4 or platform\$1		
	_	or machine\$1 or computer\$1 or DSP))		
_	3	6311165.URPN.	USPAT	2003/05/09 15:06

Page 4